

| スマイルサーバ V5 | | | |
|---------------------------|----------|--------|--------|
| 関数名 | 8.3モジュール | 7.4CGI | 8.3CGI |
| zend_version | ○ | ○ | ○ |
| func_num_args | ○ | ○ | ○ |
| func_get_arg | ○ | ○ | ○ |
| func_get_args | ○ | ○ | ○ |
| strlen | ○ | ○ | ○ |
| strcmp | ○ | ○ | ○ |
| strncmp | ○ | ○ | ○ |
| strcasecmp | ○ | ○ | ○ |
| strncasecmp | ○ | ○ | ○ |
| error_reporting | ○ | ○ | ○ |
| define | ○ | ○ | ○ |
| defined | ○ | ○ | ○ |
| get_class | ○ | ○ | ○ |
| get_called_class | ○ | ○ | ○ |
| get_parent_class | ○ | ○ | ○ |
| is_subclass_of | ○ | ○ | ○ |
| is_a | ○ | ○ | ○ |
| get_class_vars | ○ | ○ | ○ |
| get_object_vars | ○ | ○ | ○ |
| get_mangled_object_vars | ○ | ○ | ○ |
| get_class_methods | ○ | ○ | ○ |
| method_exists | ○ | ○ | ○ |
| property_exists | ○ | ○ | ○ |
| class_exists | ○ | ○ | ○ |
| interface_exists | ○ | ○ | ○ |
| trait_exists | ○ | ○ | ○ |
| enum_exists | ○ | — | ○ |
| function_exists | ○ | ○ | ○ |
| class_alias | ○ | ○ | ○ |
| get_included_files | ○ | ○ | ○ |
| get_required_files | ○ | ○ | ○ |
| trigger_error | ○ | ○ | ○ |
| user_error | ○ | ○ | ○ |
| set_error_handler | ○ | ○ | ○ |
| restore_error_handler | ○ | ○ | ○ |
| set_exception_handler | ○ | ○ | ○ |
| restore_exception_handler | ○ | ○ | ○ |
| get_declared_classes | ○ | ○ | ○ |

| | | | |
|-----------------------------------|-----------------------|-----------------------|-----------------------|
| get_declared_traits | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_declared_interfaces | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_defined_functions | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_defined_vars | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_resource_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_resource_id | <input type="radio"/> | - | <input type="radio"/> |
| get_resources | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_loaded_extensions | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_defined_constants | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| debug_backtrace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| debug_print_backtrace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| extension_loaded | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_extension_funcs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gc_mem_caches | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gc_collect_cycles | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gc_enabled | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gc_enable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gc_disable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gc_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strtotime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| idate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmdate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mktime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmmktime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| checkdate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strftime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmstrftime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| time | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| localtime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getdate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_create_immutable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_create_from_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_create_immutable_from_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_parse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_parse_from_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_get_last_errors | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_modify | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------------------|-----------------------|-----------------------|-----------------------|
| date_add | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_sub | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_timezone_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_timezone_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_offset_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_diff | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_time_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_date_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_isodate_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_timestamp_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_timestamp_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_name_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_name_from_abbr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_offset_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_transitions_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_location_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_identifiers_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_abbreviations_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| timezone_version_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_interval_create_from_date_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_interval_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_default_timezone_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_default_timezone_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_sunrise | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_sunset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| date_sun_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_set_streams_context | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_use_internal_errors | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_get_last_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_get_errors | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_clear_errors | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_disable_entity_loader | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_set_external_entity_loader | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| libxml_get_external_entity_loader | <input type="radio"/> | — | <input type="radio"/> |
| openssl_x509_export_to_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_x509_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_x509_fingerprint | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_x509_check_private_key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_x509_verify | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|
| openssl_x509_parse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_x509_checkpurpose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_x509_read | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_x509_free | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs12_export_to_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs12_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs12_read | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_csr_export_to_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_csr_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_csr_sign | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_csr_new | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_csr_get_subject | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_csr_get_public_key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_new | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_export_to_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_get_public | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_get_publickey | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_free | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_free_key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_get_private | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_get_privatekey | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_get_details | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pbkdf2 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs7_verify | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs7_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs7_sign | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs7_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkcs7_read | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_cms_verify | <input type="radio"/> | – | <input type="radio"/> |
| openssl_cms_encrypt | <input type="radio"/> | – | <input type="radio"/> |
| openssl_cms_sign | <input type="radio"/> | – | <input type="radio"/> |
| openssl_cms_decrypt | <input type="radio"/> | – | <input type="radio"/> |
| openssl_cms_read | <input type="radio"/> | – | <input type="radio"/> |
| openssl_private_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_private_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_public_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_public_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_error_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_sign | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|
| openssl_verify | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_seal | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_get_md_methods | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_get_cipher_methods | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_get_curve_names | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_digest | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_cipher_iv_length | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_cipher_key_length | <input type="radio"/> | — | <input type="radio"/> |
| openssl_dh_compute_key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_pkey_derive | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_random_pseudo_bytes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_spki_new | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_spki_verify | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_spki_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_spki_export_challenge | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openssl_get_cert_locations | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_match | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_match_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_replace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_filter | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_replace_callback | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_replace_callback_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_split | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_quote | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_grep | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_last_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| preg_last_error_msg | <input type="radio"/> | — | <input type="radio"/> |
| ob_gzhandler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| zlib_get_coding_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzfile | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzopen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| readgzfile | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| zlib_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| zlib_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzdeflate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzencode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzcompress | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------|-----------------------|-----------------------|-----------------------|
| gzinflate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzdecode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzuncompress | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzwrite | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzputs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzrewind | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzclose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzeof | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzgetc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzpassthru | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzseek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gztell | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzread | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gzgets | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| deflate_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| deflate_add | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| inflate_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| inflate_add | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| inflate_get_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| inflate_get_read_len | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filter_has_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filter_input | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filter_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filter_input_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filter_var_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filter_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filter_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_hmac | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_hmac_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_update | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_update_stream | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_update_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_final | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_copy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_algos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_hmac_algos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_pbkdf2 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|
| hash_equals | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hash_hkdf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mhash_get_block_size | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mhash_get_hash_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mhash_keygen_s2k | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mhash_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mhash | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| json_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| json_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| json_validate | <input type="radio"/> | — | <input type="radio"/> |
| json_last_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| json_last_error_msg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| lcg_value | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mt_srand | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| srand | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rand | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mt_rand | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mt_getrandmax | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getrandmax | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| random_bytes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| random_int | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| set_time_limit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| header_register_callback | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_start | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_flush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_clean | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_end_flush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_end_clean | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_get_flush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_get_clean | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_get_contents | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_get_level | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_get_length | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_list_handlers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_get_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ob_implicit_flush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| output_reset_rewrite_vars | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| output_add_rewrite_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_wrapper_register | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_register_wrapper | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|
| stream_wrapper_unregister | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_wrapper_restore | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_push | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| krsort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ksort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sizeof | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| natsort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| natcasesort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| asort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| arsort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rsort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| usort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| uasort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| uksort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| end | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| prev | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| next | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| reset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| current | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| min | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| max | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_walk | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_walk_recursive | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| in_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_search | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| extract | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| compact | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_fill | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_fill_keys | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| range | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shuffle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_pop | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_shift | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_unshift | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_splice | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_slice | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------------|-----------------------|-----------------------|-----------------------|
| array_merge | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_merge_recursive | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_replace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_replace_recursive | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_keys | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_key_first | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_key_last | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_values | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_count_values | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_column | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_reverse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_pad | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_flip | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_change_key_case | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_unique | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_intersect_key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_intersect_ukey | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_intersect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_uintersect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_intersect_assoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_uintersect_assoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_intersect_uassoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_uintersect_uassoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_diff_key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_diff_ukey | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_diff | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_udiff | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_diff_assoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_diff_uassoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_udiff_assoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_udiff_uassoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_multisort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_rand | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_sum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_product | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_reduce | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_filter | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_map | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_key_exists | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| key_exists | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------------|-----------------------|-----------------------|-----------------------|
| array_chunk | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_combine | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| array_is_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| base64_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| base64_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| constant | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ip2long | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| long2ip | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getenv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| putenv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getopt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| flush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sleep | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| usleep | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| time_nanosleep | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| time_sleep_until | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_current_user | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_cfg_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| error_log | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| error_get_last | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| error_clear_last | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| call_user_func | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| call_user_func_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| forward_static_call | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| forward_static_call_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| register_shutdown_function | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| highlight_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| show_source | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| php_strip_whitespace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| highlight_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ini_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ini_get_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ini_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ini_alter | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ini_restore | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ini_parse_quantity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| set_include_path | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_include_path | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| print_r | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| connection_aborted | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|--------------------------|-----------------------|-----------------------|-----------------------|
| connection_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ignore_user_abort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getservbyname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getservbyport | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getprotobyname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getprotobynumber | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| register_tick_function | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| unregister_tick_function | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_uploaded_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| move_uploaded_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| parse_ini_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| parse_ini_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sys_getloadavg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_browser | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| crc32 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| crypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strptime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gethostname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gethostbyaddr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gethostbyname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gethostbyname1 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dns_check_record | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| checkdnsrr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dns_get_record | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dns_get_mx | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getmxrr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| net_get_interfaces | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftok | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hrtime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| md5 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| md5_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getmyuid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getmygid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getmypid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getmyinode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getlastmod | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sha1 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sha1_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| openlog | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| closelog | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------------|-----------------------|-----------------------|-----------------------|
| syslog | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| inet_ntop | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| inet_pton | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| metaphone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| header | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| header_remove | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| setrawcookie | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| setcookie | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| http_response_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| headers_sent | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| headers_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| htmlspecialchars | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| htmlspecialchars_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| html_entity_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| htmlentities | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_html_translation_table | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| assert | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| assert_options | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bin2hex | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hex2bin | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strspn | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strcspn | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| nl_langinfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strcoll | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| trim | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rtrim | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| chop | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ltrim | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| wordwrap | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| explode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| implode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| join | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strtok | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strtoupper | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strtolower | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_increment | <input type="radio"/> | – | <input type="radio"/> |
| str_decrement | <input type="radio"/> | – | <input type="radio"/> |
| basename | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dirname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pathinfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-----------------|-----------------------|-----------------------|-----------------------|
| stristr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strstr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strchr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stripos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strrpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stripos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strrchr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_contains | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_starts_with | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_ends_with | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| chunk_split | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| substr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| substr_replace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| quotemeta | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ord | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| chr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ucfirst | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| lcfirst | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ucwords | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strtr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strrev | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| similar_text | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| addslashes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| addslashes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stripslashes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stripslashes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_replace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_ireplace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hebrex | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| nl2br | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strip_tags | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| setlocale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| parse_str | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_getcsv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_repeat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| count_chars | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strnatcmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| localeconv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strnatcasecmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------|-----------------------|-----------------------|-----------------------|
| substr_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_pad | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sscanf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_rot13 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_shuffle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_word_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| str_split | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strpbrk | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| substr_compare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| utf8_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| utf8_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| opendir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| closedir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| chdir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getcwd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rewinddir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| readdir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| scandir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| glob | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| exec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| system | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| passthru | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| escapeshellcmd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| escapeshellarg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shell_exec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| proc_nice | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| flock | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_meta_tags | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pclose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| popen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| readfile | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rewind | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rmdir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| umask | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fclose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| feof | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fgetc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fgets | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fread | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------|-----------------------|-----------------------|-----------------------|
| fopen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fscanf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fpassthru | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftruncate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fstat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fseek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftell | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fflush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fsync | <input type="radio"/> | — | <input type="radio"/> |
| fdatasync | <input type="radio"/> | — | <input type="radio"/> |
| fwrite | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fputs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mkdir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rename | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| copy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tempnam | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tmpfile | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| file_get_contents | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| unlink | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| file_put_contents | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fputcsv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fgetcsv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| realpath | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fnmatch | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sys_get_temp_dir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fileatime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filectime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filegroup | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fileinode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filemtime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fileowner | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fileperms | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filesize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| filetype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| file_exists | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_writable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_writeable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_readable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_executable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------------|-----------------------|-----------------------|-----------------------|
| is_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_dir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_link | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| lstat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| chown | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| chgrp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| lchown | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| lchgrp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| chmod | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| touch | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| clearstatcache | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| disk_total_space | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| disk_free_space | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| diskfreespace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| realpath_cache_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| realpath_cache_size | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sprintf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| printf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| vprintf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| vsprintf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fprintf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| vfprintf | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fsockopen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pfsckopen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| http_build_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| image_type_to_mime_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| image_type_to_extension | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getimagesize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getimagesizefromstring | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| phpinfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| phpversion | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| phpcredits | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| php_sapi_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| php_uname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| php_ini_scanned_files | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| php_ini_loaded_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iptcembed | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iptcparse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| levenshtein | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------|-----------------------|-----------------------|-----------------------|
| readlink | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| linkinfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| symlink | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| link | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mail | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| abs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ceil | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| floor | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| round | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sin | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| cos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tan | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| asin | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| acos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| atan | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| atanh | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| atan2 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sinh | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| cosh | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tanh | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| asinh | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| acosh | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| expm1 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| log1p | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pi | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_finite | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_nan | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intdiv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_infinite | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pow | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| exp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| log | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| log10 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sqrt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hypot | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| deg2rad | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rad2deg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bindec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| hexdec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| octdec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------------|-----------------------|-----------------------|-----------------------|
| decbin | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| decoct | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dechex | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| base_convert | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| number_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fmod | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| fdiv | <input type="radio"/> | - | <input type="radio"/> |
| microtime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gettimeofday | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| getrusage | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pack | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| unpack | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| password_get_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| password_hash | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| password_needs_rehash | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| password_verify | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| password_algos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| proc_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| proc_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| proc_terminate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| proc_get_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| quoted_printable_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| quoted_printable_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| soundex | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_select | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_context_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_context_set_params | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_context_get_params | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_context_set_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_context_set_options | <input type="radio"/> | - | <input type="radio"/> |
| stream_context_get_options | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_context_get_default | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_context_set_default | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_filter_prepend | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_filter_append | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_filter_remove | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_client | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_server | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_accept | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_get_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-----------------------------|-----------------------|-----------------------|-----------------------|
| stream_socket_recvfrom | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_sendto | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_enable_crypto | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_shutdown | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_socket_pair | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_copy_to_stream | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_get_contents | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_supports_lock | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_set_write_buffer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| set_file_buffer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_set_read_buffer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_set_blocking | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_set_blocking | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_get_meta_data | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_get_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_get_line | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_resolve_include_path | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_get_wrappers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_get_transports | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_is_local | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_isatty | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_set_chunk_size | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_set_timeout | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_set_timeout | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gettype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_debug_type | <input type="radio"/> | - | <input type="radio"/> |
| settype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intval | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| floatval | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| doubleval | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| boolval | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| strval | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_null | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_resource | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_bool | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_int | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_integer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_long | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_float | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_double | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|
| is_numeric | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_object | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_scalar | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_callable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_iterable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_countable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| uniqid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| parse_url | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| urlencode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| urldecode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rawurlencode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| rawurldecode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| get_headers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_bucket_make_writeable | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_bucket_prepend | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_bucket_append | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_bucket_new | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_get_filters | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| stream_filter_register | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| convert_uuencode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| convert_uudecode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| var_dump | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| var_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| debug_zval_dump | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| serialize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| unserialize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| memory_get_usage | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| memory_get_peak_usage | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| memory_reset_peak_usage | <input type="radio"/> | — | <input type="radio"/> |
| version_compare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| class_implements | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| class_parents | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| class_uses | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_autoload | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_autoload_call | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_autoload_extensions | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_autoload_functions | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_autoload_register | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|
| spl_autoload_unregister | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_classes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_object_hash | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| spl_object_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iterator_apply | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iterator_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iterator_to_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_module_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_save_path | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_create_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_regenerate_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_destroy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_unset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_gc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_get_cookie_params | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_write_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_abort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_reset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_register_shutdown | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_commit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_set_save_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_cache_limiter | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_cache_expire | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_set_cookie_params | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| session_start | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_select | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_create_listen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_accept | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_set_nonblock | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_set_block | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_listen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_write | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_read | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| socket_getsockname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------------|---|---|---|
| socket_getpeername | ○ | ○ | ○ |
| socket_create | ○ | ○ | ○ |
| socket_connect | ○ | ○ | ○ |
| socket_strerror | ○ | ○ | ○ |
| socket_bind | ○ | ○ | ○ |
| socket_recv | ○ | ○ | ○ |
| socket_send | ○ | ○ | ○ |
| socket_recvfrom | ○ | ○ | ○ |
| socket_sendto | ○ | ○ | ○ |
| socket_get_option | ○ | ○ | ○ |
| socket_getopt | ○ | ○ | ○ |
| socket_set_option | ○ | ○ | ○ |
| socket_setopt | ○ | ○ | ○ |
| socket_create_pair | ○ | ○ | ○ |
| socket_shutdown | ○ | ○ | ○ |
| socket_atmark | ○ | — | ○ |
| socket_last_error | ○ | ○ | ○ |
| socket_clear_error | ○ | ○ | ○ |
| socket_import_stream | ○ | ○ | ○ |
| socket_export_stream | ○ | ○ | ○ |
| socket_sendmsg | ○ | ○ | ○ |
| socket_recvmsg | ○ | ○ | ○ |
| socket_cmsg_space | ○ | ○ | ○ |
| socket_addrinfo_lookup | ○ | ○ | ○ |
| socket_addrinfo_connect | ○ | ○ | ○ |
| socket_addrinfo_bind | ○ | ○ | ○ |
| socket_addrinfo_explain | ○ | ○ | ○ |
| apache_lookup_uri | ○ | — | — |
| virtual | ○ | — | — |
| apache_request_headers | ○ | ○ | ○ |
| getallheaders | ○ | ○ | ○ |
| apache_response_headers | ○ | ○ | ○ |
| apache_note | ○ | — | — |
| apache_setenv | ○ | — | — |
| apache_getenv | ○ | — | — |
| apache_get_version | ○ | — | — |
| apache_get_modules | ○ | — | — |
| bcadd | ○ | ○ | ○ |
| bcsb | ○ | ○ | ○ |
| bcmul | ○ | ○ | ○ |

| | | | |
|-------------------|-----------------------|-----------------------|-----------------------|
| bcddiv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bcmod | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bcpowmod | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bcpow | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bcsqrt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bccomp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bcscale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzopen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzread | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzwrite | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzflush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzclose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzerrno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzerrstr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzerror | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzcompress | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bzdecompress | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| cal_days_in_month | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| cal_from_jd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| cal_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| cal_to_jd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| easter_date | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| easter_days | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| frenchtojd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gregoriantojd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jddayofweek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jdmonthname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jdtofrench | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jdtogregorian | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jdtojewish | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jdtojulian | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jdtonix | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| jewishtojd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| juliantojd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| unixtojd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_alnum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_alpha | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_cntrl | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_digit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_lower | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|--------------------------|-----------------------|-----------------------|-----------------------|
| ctype_graph | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_print | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_punct | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_space | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_upper | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ctype_xdigit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_copy_handle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_errno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_escape | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_unescape | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_setopt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_exec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_file_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_getinfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_upkeep | <input type="radio"/> | - | <input type="radio"/> |
| curl_multi_add_handle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_errno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_exec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_getcontent | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_info_read | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_remove_handle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_select | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_multi_strerror | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_pause | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_reset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_setopt_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_setopt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_share_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_share_errno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_share_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_share_setopt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_share_strerror | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_strerror | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| curl_version | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_popen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------|-----------------------|-----------------------|-----------------------|
| dba_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_exists | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_fetch | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_key_split | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_firstkey | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_nextkey | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_delete | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_insert | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_replace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_optimize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_sync | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_handlers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dba_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dom_import_simplexml | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| exif_tagname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| exif_read_data | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| exif_thumbnail | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| exif_imagetype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| finfo_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| finfo_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| finfo_set_flags | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| finfo_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| finfo_buffer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mime_content_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_connect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_ssl_connect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_login | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_pwd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_cdup | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_chdir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_exec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_raw | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_mkdir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_rmdir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_chmod | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_alloc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_nlist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_rawlist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_mlsd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------------|-----------------------|-----------------------|-----------------------|
| ftp_systype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_fget | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_nb_fget | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_pasv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_nb_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_nb_continue | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_fput | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_nb_fput | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_put | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_append | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_nb_put | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_size | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_mdtm | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_rename | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_delete | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_site | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_quit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_set_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ftp_get_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gd_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagemloadfont | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesetstyle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatetruecolor | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageistruecolor | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagepaletteortopalette | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagepalettetotruecolor | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolormatch | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesetthickness | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefilledellipse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefilledarc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagealphablending | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesavealpha | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagelayereffect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorallocatealpha | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorresolvealpha | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorclosestalpha | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorexactalpha | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecopyresampled | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|------------------------|-----------------------|-----------------------|-----------------------|
| imagerotate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesettile | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesetbrush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagetypes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromstring | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromavif | <input type="radio"/> | – | <input type="radio"/> |
| imagecreatefromgif | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromjpeg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefrompng | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromwebp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromxbm | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromxpm | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromwbmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromgd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromgd2 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromgd2part | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefrombmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecreatefromtga | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagexbm | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageavif | <input type="radio"/> | – | <input type="radio"/> |
| imagegif | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagepng | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagewebp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagejpeg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagewbmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagegd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagegd2 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagebmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagedestroy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorallocate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagepalettecopy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorclosest | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorclosesthw | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolordeallocate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorresolve | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorexact | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorsforindex | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|
| imagegammacorrect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesetpixel | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageline | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagedashedline | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagerectangle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefilledrectangle | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagearc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageellipse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefilltoborder | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefill | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolorstotal | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecolortransparent | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageinterlace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagepolygon | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageopenpolygon | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefilledpolygon | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefontwidth | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefontheight | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagechar | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecharup | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagestring | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagestringup | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecopy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecopymerge | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecopymergegray | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecopyresized | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesx | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagesetclip | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagegetclip | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageftbbox | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefttext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagettfbbox | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagettfttext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagefilter | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageconvolution | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageflip | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageantialias | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecrop | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagecropauto | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-------------------------|-----------------------|-----------------------|-----------------------|
| imagescale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageaffine | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageaffinematrixget | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageaffinematrixconcat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imagegetinterpolation | <input type="radio"/> | – | <input type="radio"/> |
| imagesetinterpolation | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imageresolution | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| textdomain | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gettext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| _ | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dgettext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dcgettext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bindtextdomain | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ngettext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dngettext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| dcngettext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| bind_textdomain_codeset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_import | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_intval | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_strval | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_add | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_sub | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_mul | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_div_qr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_div_q | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_div_r | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_div | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_mod | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_divexact | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_neg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_abs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_fact | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_sqrt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_sqrtrem | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_root | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_rootrem | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_pow | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_powm | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|
| gmp_perfect_square | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_perfect_power | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_prob_prime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_gcd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_gcdext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_lcm | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_invert | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_jacobi | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_legendre | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_kronecker | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_cmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_sign | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_random_seed | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_random_bits | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_random_range | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_and | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_or | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_com | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_xor | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_setbit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_clrbit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_testbit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_scan0 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_scan1 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_popcount | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_hamdist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_nextprime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| gmp_binomial | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_strlen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_substr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_strpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_strrpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_mime_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_mime_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_mime_decode_headers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_set_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| iconv_get_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_reopen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|
| imap_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_is_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_num_msg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_num_recent | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_headers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_headerinfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_rfc822_parse_headers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_rfc822_write_address | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_rfc822_parse_adrlist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_body | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_fetchtext | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_bodystruct | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_fetchbody | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_fetchmime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_savebody | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_fetchheader | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_fetchstructure | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_gc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_expunge | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_delete | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_undelete | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_check | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_listscan | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_scan | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_scanmailbox | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_mail_copy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_mail_move | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_mail_compose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_createmailbox | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_renamemailbox | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_rename | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_deletemailbox | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_subscribe | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_unsubscribe | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_append | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_ping | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_base64 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_qprint | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_8bit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------------------|-----------------------|-----------------------|-----------------------|
| imap_binary | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_utf8 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_mailboxmsginfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_setflag_full | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_clearflag_full | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_sort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_uid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_msgno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_listmailbox | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_lsub | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_listsubscribed | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_getsubscribed | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_getmailboxes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_fetch_overview | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_alerts | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_errors | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_last_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_search | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_utf7_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_utf7_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_utf8_to_mutf7 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_mutf7_to_utf8 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_mime_header_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_thread | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_timeout | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_get_quota | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_get_quotaroot | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_set_quota | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_setacl | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_getacl | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| imap_mail | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_create_instance | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_keyword_values_for_locale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_now | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_available_locales | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_time | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set_time | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|--|-----------------------|-----------------------|-----------------------|
| intlcal_add | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set_time_zone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_after | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_before | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_roll | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_clear | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_field_difference | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_actual_maximum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_actual_minimum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_day_of_week_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_first_day_of_week | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_least_maximum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_greatest_minimum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_locale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_maximum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_minimal_days_in_first_week | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set_minimal_days_in_first_week | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_minimum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_time_zone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_weekend_transition | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_in_daylight_time | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_is_lenient | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_is_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_is_equivalent_to | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_is_weekend | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set_first_day_of_week | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set_lenient | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_repeated_wall_time_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_equals | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_skipped_wall_time_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set_repeated_wall_time_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_set_skipped_wall_time_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_from_date_time | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_to_date_time | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlcal_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlgregcal_create_instance | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlgregcal_set_gregorian_change | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------------------|-----------------------|-----------------------|-----------------------|
| intlgregcal_get_gregorian_change | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlgregcal_is_leap_year | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_compare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_get_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_set_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_get_strength | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_set_strength | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_sort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_sort_with_sort_keys | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_asort | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_get_locale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| collator_get_sort_key | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_is_failure | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_error_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_datetype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_timetype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_calendar | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_set_calendar | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_timezone_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_calendar_object | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_timezone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_set_timezone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_set_pattern | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_pattern | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_locale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_set_lenient | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_is_lenient | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_format_object | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_parse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_localtime | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| datefmt_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-----------------------------|-----------------------|-----------------------|-----------------------|
| numfmt_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_parse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_format_currency | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_parse_currency | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_set_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_get_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_set_text_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_get_text_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_set_symbol | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_get_symbol | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_set_pattern | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_get_pattern | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_get_locale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| numfmt_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_strlen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_strpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_stripes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_strrpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_stripos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_substr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_strstr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_stristr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| grapheme_extract | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| idn_to_ascii | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| idn_to_utf8 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_default | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_set_default | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_primary_language | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_script | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_region | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_keywords | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_display_script | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_display_region | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_display_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_display_language | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_display_variant | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_compose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_parse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_get_all_variants | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---|-----------------------|-----------------------|-----------------------|
| locale_filter_matches | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_canonicalize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_lookup | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| locale_accept_from_http | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_format | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_format_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_parse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_parse_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_set_pattern | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_get_pattern | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_get_locale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msgfmt_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| normalizer_normalize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| normalizer_is_normalized | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| normalizer_get_raw_decomposition | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| resourcebundle_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| resourcebundle_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| resourcebundle_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| resourcebundle_locales | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| resourcebundle_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| resourcebundle_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_count_equivalent_ids | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_create_default | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_create_enumeration | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_create_time_zone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_create_time_zone_id_enumeration | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_from_date_time_zone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_canonical_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_display_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_dst_savings | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_equivalent_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_gmt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_offset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_raw_offset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intl_tz_get_region | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------------------|-----------------------|-----------------------|-----------------------|
| intlz_get_tz_data_version | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlz_get_unknown | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlz_get_windows_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlz_get_id_for_windows_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlz_has_same_rules | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlz_to_date_time_zone | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| intlz_use_daylight_time | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| transliterator_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| transliterator_create_from_rules | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| transliterator_list_ids | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| transliterator_create_inverse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| transliterator_transliterate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| transliterator_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| transliterator_get_error_message | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_language | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_internal_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_http_input | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_http_output | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_detect_order | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_substitute_character | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_preferred_mime_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_parse_str | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_output_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_str_split | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strlen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strrpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_stripos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strripos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strstr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strchr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_stristr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strrichr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_substr_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_substr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strcut | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strwidth | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strimwidth | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_convert_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_convert_case | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|--------------------------|-----------------------|-----------------------|-----------------------|
| mb_strtoupper | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_strtolower | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_detect_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_list_encodings | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_encoding_aliases | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_encode_mimeheader | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_decode_mimeheader | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_convert_kana | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_convert_variables | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_encode_numericentity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_decode_numericentity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_send_mail | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_get_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_check_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_scrub | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ord | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_chr | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_str_pad | <input type="radio"/> | - | <input type="radio"/> |
| mb_regex_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_eregi | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_replace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_eregi_replace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_replace_callback | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_split | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_match | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_search | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_search_pos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_search_regs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_search_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_search_getregs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_search_getpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_ereg_search_setpos | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mb_regex_set_options | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_close_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_binmode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_longreadlen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_prepare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_execute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_cursor | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------------------|-----------------------|-----------------------|-----------------------|
| odbc_data_source | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_exec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_do | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_fetch_object | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_fetch_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_fetch_into | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_fetch_row | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_result_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_free_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_connect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_pconnect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_num_rows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_next_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_num_fields | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_field_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_field_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_field_len | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_field_precision | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_field_scale | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_field_num | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_autocommit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_commit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_rollback | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_errormsg | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_setoption | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_tables | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_columns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_gettypeinfo | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_primarykeys | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_procedurecolumns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_procedures | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_foreignkeys | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_specialcolumns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_statistics | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_tableprivileges | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_columnprivileges | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| odbc_connection_string_is_quoted | <input type="radio"/> | - | <input type="radio"/> |

| | | | |
|-------------------------------------|-----------------------|-----------------------|-----------------------|
| odbc_connection_string_should_quote | <input type="radio"/> | — | <input type="radio"/> |
| odbc_connection_string_quote | <input type="radio"/> | — | <input type="radio"/> |
| pdo_drivers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_connect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_pconnect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_connect_poll | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_dbname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_last_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_errormessage | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_options | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_port | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_tty | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_host | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_version | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_parameter_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_ping | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_exec | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_query_params | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_prepare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_execute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_num_rows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_numrows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_num_fields | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_numfields | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_affected_rows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_cmdtuples | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_last_notice | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_table | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fieldname | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_size | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fieldsize | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fieldtype | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_type_oid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_num | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fieldnum | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fetch_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|------------------------|-----------------------|-----------------------|-----------------------|
| pg_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fetch_row | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fetch_assoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fetch_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fetch_object | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fetch_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fetch_all_columns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_result_seek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_prtlen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fieldprtlen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_field_is_null | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_fieldisnull | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_free_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_freeresult | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_last_oid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_getlastoid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_trace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_untrace | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_locreate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_unlink | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lounlink | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_loopen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_loclose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_read | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_loread | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_write | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lowrite | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_read_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_loreadall | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_import | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_loimport | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_export | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_loexport | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_seek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_tell | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_lo_truncate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_set_error_verbosity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---------------------------------|-----------------------|-----------------------|-----------------------|
| pg_set_client_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_setclientencoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_client_encoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_clientencoding | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_end_copy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_put_line | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_copy_to | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_copy_from | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_escape_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_escape_bytea | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_unescape_bytea | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_escape_literal | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_escape_identifier | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_result_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_result_error_field | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_connection_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_transaction_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_connection_reset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_cancel_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_connection_busy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_send_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_send_query_params | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_send_prepare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_send_execute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_get_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_result_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_get_notify | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_get_pid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_socket | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_consume_input | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_flush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_meta_data | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_convert | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_insert | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_update | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_delete | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_select | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pg_set_error_context_visibility | <input type="radio"/> | – | <input type="radio"/> |
| posix_kill | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| posix_getpid | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|----------------------|---|---|---|
| posix_getppid | ○ | ○ | ○ |
| posix_getuid | ○ | ○ | ○ |
| posix_setuid | ○ | ○ | ○ |
| posix_geteuid | ○ | ○ | ○ |
| posix seteuid | ○ | ○ | ○ |
| posix_getgid | ○ | ○ | ○ |
| posix_setgid | ○ | ○ | ○ |
| posix_getegid | ○ | ○ | ○ |
| posix_setegid | ○ | ○ | ○ |
| posix_getgroups | ○ | ○ | ○ |
| posix_getlogin | ○ | ○ | ○ |
| posix_getpgrp | ○ | ○ | ○ |
| posix_setsid | ○ | ○ | ○ |
| posix_setpgid | ○ | ○ | ○ |
| posix_getpgid | ○ | ○ | ○ |
| posix_getsid | ○ | ○ | ○ |
| posix_uname | ○ | ○ | ○ |
| posix_times | ○ | ○ | ○ |
| posix_ctermid | ○ | ○ | ○ |
| posix_ttyname | ○ | ○ | ○ |
| posix_isatty | ○ | ○ | ○ |
| posix_getcwd | ○ | ○ | ○ |
| posix_mkfifo | ○ | ○ | ○ |
| posix_mknod | ○ | ○ | ○ |
| posix_access | ○ | ○ | ○ |
| posix_eaccess | ○ | — | ○ |
| posix_getgrnam | ○ | ○ | ○ |
| posix_getgrgid | ○ | ○ | ○ |
| posix_getpwnam | ○ | ○ | ○ |
| posix_getpwuid | ○ | ○ | ○ |
| posix_getrlimit | ○ | ○ | ○ |
| posix_setrlimit | ○ | ○ | ○ |
| posix_get_last_error | ○ | ○ | ○ |
| posix_errno | ○ | ○ | ○ |
| posix_strerror | ○ | ○ | ○ |
| posix_initgroups | ○ | ○ | ○ |
| posix_sysconf | ○ | — | ○ |
| posix_pathconf | ○ | — | ○ |
| posix_fpathconf | ○ | — | ○ |
| pspell_new | ○ | ○ | ○ |

| | | | |
|--|-----------------------|-----------------------|-----------------------|
| pspell_new_personal | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_new_config | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_check | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_suggest | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_store_replacement | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_add_to_personal | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_add_to_session | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_clear_session | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_save_wordlist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_runtogether | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_mode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_ignore | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_personal | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_dict_dir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_data_dir | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_repl | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| pspell_config_save_repl | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shmop_open | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shmop_read | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shmop_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shmop_size | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shmop_write | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shmop_delete | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| simplexml_load_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| simplexml_load_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| simplexml_import_dom | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| use_soap_error_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| is_soap_fault | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_aes256gcm_is_available | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_aes256gcm_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_aes256gcm_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_aes256gcm_keygen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_chacha20poly1305_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_chacha20poly1305_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_chacha20poly1305_keygen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_chacha20poly1305ietf_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_chacha20poly1305ietf_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_chacha20poly1305ietf_keygen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_xchacha20poly1305ietf_decrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_xchacha20poly1305ietf_encrypt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_aead_xchacha20poly1305ietf_keygen | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---|---|---|---|
| sodium_crypto_aead_xchacha20poly1305_ie | ○ | ○ | ○ |
| sodium_crypto_aead_xchacha20poly1305_ie | ○ | ○ | ○ |
| sodium_crypto_auth | ○ | ○ | ○ |
| sodium_crypto_auth_keygen | ○ | ○ | ○ |
| sodium_crypto_auth_verify | ○ | ○ | ○ |
| sodium_crypto_box | ○ | ○ | ○ |
| sodium_crypto_box_keypair | ○ | ○ | ○ |
| sodium_crypto_box_seed_keypair | ○ | ○ | ○ |
| sodium_crypto_box_keypair_from_secretkey | ○ | ○ | ○ |
| sodium_crypto_box_open | ○ | ○ | ○ |
| sodium_crypto_box_publickey | ○ | ○ | ○ |
| sodium_crypto_box_publickey_from_secretkey | ○ | ○ | ○ |
| sodium_crypto_box_seal | ○ | ○ | ○ |
| sodium_crypto_box_seal_open | ○ | ○ | ○ |
| sodium_crypto_box_secretkey | ○ | ○ | ○ |
| sodium_crypto_core_ristretto255_add | ○ | — | ○ |
| sodium_crypto_core_ristretto255_from_hash | ○ | — | ○ |
| sodium_crypto_core_ristretto255_is_valid_point | ○ | — | ○ |
| sodium_crypto_core_ristretto255_random | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_add | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_compress | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_invert | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_multiply | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_negate | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_random | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_reduce | ○ | — | ○ |
| sodium_crypto_core_ristretto255_scalar_subtract | ○ | — | ○ |
| sodium_crypto_core_ristretto255_sub | ○ | — | ○ |
| sodium_crypto_kx_keypair | ○ | ○ | ○ |
| sodium_crypto_kx_publickey | ○ | ○ | ○ |
| sodium_crypto_kx_secretkey | ○ | ○ | ○ |
| sodium_crypto_kx_seed_keypair | ○ | ○ | ○ |
| sodium_crypto_kx_client_session_keys | ○ | ○ | ○ |
| sodium_crypto_kx_server_session_keys | ○ | ○ | ○ |
| sodium_crypto_generichash | ○ | ○ | ○ |
| sodium_crypto_generichash_keygen | ○ | ○ | ○ |
| sodium_crypto_generichash_init | ○ | ○ | ○ |
| sodium_crypto_generichash_update | ○ | ○ | ○ |
| sodium_crypto_generichash_final | ○ | ○ | ○ |
| sodium_crypto_kdf_derive_from_key | ○ | ○ | ○ |

| | | | |
|--|---|---|---|
| sodium_crypto_kdf_keygen | ○ | ○ | ○ |
| sodium_crypto_pwhash | ○ | ○ | ○ |
| sodium_crypto_pwhash_str | ○ | ○ | ○ |
| sodium_crypto_pwhash_str_verify | ○ | ○ | ○ |
| sodium_crypto_pwhash_str_needs_rehash | ○ | ○ | ○ |
| sodium_crypto_pwhash_scryptsalsa208sha256 | ○ | ○ | ○ |
| sodium_crypto_pwhash_scryptsalsa208sha256 | ○ | ○ | ○ |
| sodium_crypto_pwhash_scryptsalsa208sha256 | ○ | ○ | ○ |
| sodium_crypto_scalarmult | ○ | ○ | ○ |
| sodium_crypto_scalarmult_ristretto255 | ○ | — | ○ |
| sodium_crypto_scalarmult_ristretto255_base | ○ | — | ○ |
| sodium_crypto_secretbox | ○ | ○ | ○ |
| sodium_crypto_secretbox_keygen | ○ | ○ | ○ |
| sodium_crypto_secretbox_open | ○ | ○ | ○ |
| sodium_crypto_secretstream_xchacha20poly1305 | ○ | ○ | ○ |
| sodium_crypto_secretstream_xchacha20poly1305 | ○ | ○ | ○ |
| sodium_crypto_secretstream_xchacha20poly1305 | ○ | ○ | ○ |
| sodium_crypto_secretstream_xchacha20poly1305 | ○ | ○ | ○ |
| sodium_crypto_secretstream_xchacha20poly1305 | ○ | ○ | ○ |
| sodium_crypto_secretstream_xchacha20poly1305 | ○ | ○ | ○ |
| sodium_crypto_shorthash | ○ | ○ | ○ |
| sodium_crypto_shorthash_keygen | ○ | ○ | ○ |
| sodium_crypto_sign | ○ | ○ | ○ |
| sodium_crypto_sign_detached | ○ | ○ | ○ |
| sodium_crypto_sign_ed25519_pk_to_curve25519 | ○ | ○ | ○ |
| sodium_crypto_sign_ed25519_sk_to_curve25519 | ○ | ○ | ○ |
| sodium_crypto_sign_keypair | ○ | ○ | ○ |
| sodium_crypto_sign_keypair_from_secretkey | ○ | ○ | ○ |
| sodium_crypto_sign_open | ○ | ○ | ○ |
| sodium_crypto_sign_publickey | ○ | ○ | ○ |
| sodium_crypto_sign_secretkey | ○ | ○ | ○ |
| sodium_crypto_sign_publickey_from_secretkey | ○ | ○ | ○ |
| sodium_crypto_sign_seed_keypair | ○ | ○ | ○ |
| sodium_crypto_sign_verify_detached | ○ | ○ | ○ |
| sodium_crypto_stream | ○ | ○ | ○ |
| sodium_crypto_stream_keygen | ○ | ○ | ○ |
| sodium_crypto_stream_xor | ○ | ○ | ○ |
| sodium_crypto_stream_xchacha20 | ○ | — | ○ |
| sodium_crypto_stream_xchacha20_keygen | ○ | — | ○ |
| sodium_crypto_stream_xchacha20_xor | ○ | — | ○ |

| | | | |
|---------------------------------------|-----------------------|-----------------------|-----------------------|
| sodium_crypto_stream_xchacha20_xor_ic | <input type="radio"/> | — | <input type="radio"/> |
| sodium_add | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_compare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_increment | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_memcmp | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_memzero | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_pad | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_unpad | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_bin2hex | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_hex2bin | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_bin2base64 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_base642bin | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sodium_crypto_scalarmult_base | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msg_get_queue | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msg_send | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msg_receive | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msg_remove_queue | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msg_stat_queue | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msg_set_queue | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| msg_queue_exists | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sem_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sem_acquire | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sem_release | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| sem_remove | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shm_attach | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shm_detach | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shm_has_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shm_remove | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shm_put_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shm_get_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| shm_remove_var | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_parse_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_error_buffer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_output | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_parse_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_clean_repair | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_repair_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_repair_file | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_diagnose | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_release | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|--|-----------------------|-----------------------|-----------------------|
| tidy_get_opt_doc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_config | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_html_ver | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_is_xhtml | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_is_xml | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_error_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_warning_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_access_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_config_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_getopt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_root | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_html | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_head | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| tidy_get_body | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| token_get_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| token_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_parser_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_parser_create_ns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_object | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_element_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_character_data_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_processing_instruction_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_default_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_unparsed_entity_decl_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_notation_decl_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_external_entity_ref_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_start_namespace_decl_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_set_end_namespace_decl_handler | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_parse | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_parse_into_struct | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_get_error_code | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_error_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_get_current_line_number | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_get_current_column_number | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_get_current_byte_index | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_parser_free | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_parser_set_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xml_parser_get_option | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_open_uri | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|
| xmlwriter_open_memory | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_set_indent | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_set_indent_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_comment | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_comment | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_attribute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_attribute_ns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_attribute_ns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_element | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_element | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_full_end_element | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_element_ns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_element | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_element_ns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_pi | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_pi | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_pi | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_cdata | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_cdata | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_cdata | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_text | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_raw | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_document | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_document | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_comment | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_dtd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_dtd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_dtd | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_dtd_element | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_dtd_element | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_dtd_element | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_dtd_attlist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_dtd_attlist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_dtd_attlist | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_start_dtd_entity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_end_dtd_entity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_write_dtd_entity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlwriter_output_memory | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|-----------------------------|-----------------------|-----------------------|-----------------------|
| xmlwriter_flush | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_affected_rows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_autocommit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_begin_transaction | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_change_user | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_character_set_name | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_commit | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_connect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_connect_errno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_connect_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_data_seek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_dump_debug_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_debug | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_errno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_error_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_stmt_execute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_execute | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_execute_query | <input type="radio"/> | — | <input type="radio"/> |
| mysqli_fetch_field | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_fields | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_field_direct | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_lengths | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_array | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_assoc | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_object | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_row | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_fetch_column | <input type="radio"/> | — | <input type="radio"/> |
| mysqli_field_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_field_seek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_field_tell | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_free_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_get_connection_stats | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_get_client_stats | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_get_charset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_get_client_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_get_client_version | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysqli_get_links_stats | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|--------------------------|-----------------------|-----------------------|-----------------------|
| mysql_get_host_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_get_proto_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_get_server_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_get_server_version | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_get_warnings | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_info | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_insert_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_kill | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_more_results | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_multi_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_next_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_num_fields | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_num_rows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_options | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_set_opt | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_ping | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_poll | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_prepare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_report | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_real_connect | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_real_escape_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_escape_string | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_real_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_reap_async_query | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_release_savepoint | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_rollback | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_savepoint | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_select_db | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_set_charset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_affected_rows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_attr_get | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_attr_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_bind_param | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_bind_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_close | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_data_seek | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_errno | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_error | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|--------------------------------------|-----------------------|-----------------------|-----------------------|
| mysql_stmt_error_list | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_fetch | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_field_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_free_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_get_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_get_warnings | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_init | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_insert_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_more_results | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_next_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_num_rows | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_param_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_prepare | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_reset | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_result_metadata | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_send_long_data | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_store_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stmt_sqlstate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_sqlstate | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_ssl_set | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_stat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_store_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_thread_id | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_thread_safe | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_use_result | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_warning_count | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| mysql_refresh | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_encode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_decode | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_decode_request | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_encode_request | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_get_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_set_type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_is_fault | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_server_create | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_server_destroy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_server_register_method | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_server_call_method | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_parse_method_descriptions | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| xmlrpc_server_add_introspection_data | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

| | | | |
|---|---|---|---|
| xmlrpc_server_register_introspection_callback | ○ | ○ | ○ |
| zip_open | ○ | ○ | ○ |
| zip_close | ○ | ○ | ○ |
| zip_read | ○ | ○ | ○ |
| zip_entry_open | ○ | ○ | ○ |
| zip_entry_close | ○ | ○ | ○ |
| zip_entry_read | ○ | ○ | ○ |
| zip_entry_name | ○ | ○ | ○ |
| zip_entry_compressedsize | ○ | ○ | ○ |
| zip_entry_filesize | ○ | ○ | ○ |
| zip_entry_compressionmethod | ○ | ○ | ○ |
| opcache_reset | ○ | ○ | ○ |
| opcache_get_status | ○ | — | ○ |
| opcache_compile_file | ○ | ○ | ○ |
| opcache_invalidate | ○ | ○ | ○ |
| opcache_get_configuration | ○ | ○ | ○ |
| opcache_is_script_cached | — | — | — |
| each | — | ○ | — |
| create_function | — | ○ | — |
| gzgetss | — | ○ | — |
| pcntl_fork | — | ○ | ○ |
| pcntl_waitpid | — | ○ | ○ |
| pcntl_wait | — | ○ | ○ |
| pcntl_signal | — | ○ | ○ |
| pcntl_signal_get_handler | — | ○ | ○ |
| pcntl_signal_dispatch | — | ○ | ○ |
| pcntl_wifexited | — | ○ | ○ |
| pcntl_wifstopped | — | ○ | ○ |
| pcntl_wifsignaled | — | ○ | ○ |
| pcntl_wexitstatus | — | ○ | ○ |
| pcntl_wtermsig | — | ○ | ○ |
| pcntl_wstopsig | — | ○ | ○ |
| pcntl_exec | — | ○ | ○ |
| pcntl_alarm | — | ○ | ○ |
| pcntl_get_last_error | — | ○ | ○ |
| pcntl_errno | — | ○ | ○ |
| pcntl_strerror | — | ○ | ○ |
| pcntl_getpriority | — | ○ | ○ |
| pcntl_setpriority | — | ○ | ○ |
| pcntl_sigprocmask | — | ○ | ○ |

| | | | |
|-----------------------------------|---|---|---|
| pcntl_sigwaitinfo | - | ○ | ○ |
| pcntl_sigtimedwait | - | ○ | ○ |
| pcntl_wifcontinued | - | ○ | ○ |
| pcntl_async_signals | - | ○ | ○ |
| pcntl_unshare | - | ○ | ○ |
| readline | - | ○ | ○ |
| readline_info | - | ○ | ○ |
| readline_add_history | - | ○ | ○ |
| readline_clear_history | - | ○ | ○ |
| readline_list_history | - | ○ | ○ |
| readline_read_history | - | ○ | ○ |
| readline_write_history | - | ○ | ○ |
| readline_completion_function | - | ○ | ○ |
| readline_callback_handler_install | - | ○ | ○ |
| readline_callback_read_char | - | ○ | ○ |
| readline_callback_handler_remove | - | ○ | ○ |
| readline_redisplay | - | ○ | ○ |
| readline_on_new_line | - | ○ | ○ |
| hebrevc | - | ○ | - |
| money_format | - | ○ | - |
| convert_cyr_string | - | ○ | - |
| get_magic_quotes_gpc | - | ○ | - |
| get_magic_quotes_runtime | - | ○ | - |
| restore_include_path | - | ○ | - |
| is_real | - | ○ | - |
| fgetss | - | ○ | - |
| chroot | - | ○ | ○ |
| ezmlm_hash | - | ○ | - |
| apache_child_terminate | - | ○ | ○ |
| read_exif_data | - | ○ | - |
| jpeg2wbmp | - | ○ | - |
| png2wbmp | - | ○ | - |
| image2wbmp | - | ○ | - |
| gmp_random | - | ○ | - |
| imap_header | - | ○ | - |
| mbregex_encoding | - | ○ | - |
| mbereg | - | ○ | - |
| mberegi | - | ○ | - |
| mbereg_replace | - | ○ | - |
| mberegi_replace | - | ○ | - |

| | | | |
|--------------------------|---|---|---|
| mbsplit | – | ○ | – |
| mbereg_match | – | ○ | – |
| mbereg_search | – | ○ | – |
| mbereg_search_pos | – | ○ | – |
| mbereg_search_regs | – | ○ | – |
| mbereg_search_init | – | ○ | – |
| mbereg_search_getregs | – | ○ | – |
| mbereg_search_getpos | – | ○ | – |
| mbereg_search_setpos | – | ○ | – |
| opcache_is_script_cached | – | ○ | – |
| opcache_get_status | – | – | – |